



An ISO 9001:2015 Co.

IC 723 as Positive High Voltage Regulator

Model : SB-113

SINCOM SB-113 IC723 as Positive High Voltage Regulator is very useful simply designed trainer to study the operation, line and load regulation characteristics of IC723 as Positive High Voltage Regulator with variable load in a simple experimental way. The trainer is without meters and has the facility to connect the external analog or digital Voltmeter and Ammeter in the circuit.

Features

- ❖ User friendly Design
- ❖ IC723 wired with Resistive and Capacitive network as a linear Positive High Voltage Regulator
- ❖ Adjustable Regulated DC Output voltage between 7V to 27V.
- ❖ Output Voltage Control by Potentiometer
- ❖ High operating Temperature range
- ❖ Variable Resistive Load
- ❖ Facility to vary wide range of applied DC Input voltage
- ❖ Facility to vary regulated Output DC Voltage
- ❖ In-Built Variable regulated DC Power Supply
- ❖ Very Easy for Operation
- ❖ Multi color Circuit Diagram printed on the front panel of the white board.
- ❖ Enclosed in an attractive, light weight, High Quality, Poly Coated Imported Pine Wooden cabinet
- ❖ Facility to connect external Digital/Analog Voltmeter and Ammeter
- ❖ Interconnections by 2mm high quality banana sockets and pins
- ❖ Maximum Test points to explore all the corners of experiment
- ❖ 1 Year Warranty

Technical Specifications

- | | |
|----------------------------|---|
| ▪ AC Mains Power Supply | : 230V \pm 10%, 50Hz |
| ▪ DC Power Supply | : IC Regulated Variable 0V to +40V/500mA |
| ▪ Unregulated DC Input Vin | : 0 to + 40V DC Input |
| ▪ Regulated DC Output Vo | : Adjustable between 7V to 27V |
| ▪ Output Voltage Control | : By 10K Ω Potentiometer at Reference and Error amplifier IN |
| ▪ IC Used | : IC LM723 Monolithic Programmable IC Voltage regulator |
| ▪ IC Package | : 14 Pin DIP Plastic Package |
| ▪ IC Output Current | : 150mA Max without external pass transistor |
| ▪ Load Resistor | : 10K Ω Variable Resistive Load |
| ▪ Regulation type | : Line and Load Regulation |
| ▪ Weight | : 2.0 kg (approx) |
| ▪ Dimensions (mm) | : L 220 x W 270 x H 110 |
| ▪ Interconnections | : 2mm Banana sockets |
| ▪ Operating Temperature | : 0-50°C, 80% RH |



An ISO 9001:2015 Co.

Learning Scope

- To Study IC 723 as (adjustable) Positive high voltage regulator. Compare theoretical & Practical values.
- To Study Change in O/P Voltage w.r.t. change in I/P Voltage with Load RL constant (Line Regulation)
- To Study Change in O/P Voltage w.r.t change in Load RL with I/P voltage constant (Load Regulation)

Other Instruments Required

SINCOM Digital Multi VI meter (DMVI) : Model DMVI-04 Range V_1 -20V, I_1 -20mA, V_2 -200V, I_2 -200mA DC

Accessories Included : Set of Patch Cord and Details Instruction Manual